

Science

Ingredient: RNI 249® - Works Cited

1. [Barzilai N, Huffman D, Muzumdar R et al](#): The Critical Role of Metabolic Pathways in Aging. *Diabetes*. 2012. 61(6):1315-1322
2. [Bobrowski P \(PI\)](#): Enhanced IGF-1 Production in Human Cartilage. Grant No. 1R43AG024733-01, US National Institutes of Health (NIH): National Institute on Aging & National Institute of Arthritis and Musculoskeletal Disease. 2004-2005.
3. [Bobrowski, PJ](#): Methods and compositions to enhance endogenous IGF production and their use. USPTO No. 8182847: 2012 May 22.
4. [Brugts M, Ranke M, Hofland L et al](#): Normal Values of Circulating Insulin-Like Growth Factor-I Bioactivity in the Healthy Population: Comparison with Five Widely Used IGF-I Immunoassays. *J Clin Endocrinol Metab*. 2008. 93(7):2539–2545.
5. [Gong Z, Kennedy O, Sun H et al](#): Reductions in serum IGF-1 during aging impair health span. *Aging Cell*. 2014. 13(3):408-18.
6. [Juul A, Bang P, Hertel N et al](#): Serum insulin-like growth factor-I in 1030 healthy children, adolescents, and adults: relation to age, sex, stage of puberty, testicular size, and body mass index. *J Clin Endocrinol Metab*. 1994. 78(3):744-52.
7. Mehta K, Gala J, Bhasale S et al: Comparison of glucosamine sulfate and a polyherbal supplement for the relief of osteoarthritis of the knee: a randomized controlled trial [ISRCTN25438351]. *BMC Comp Alt Med*. 2007. 7:34.
8. [Miller M, Ahmed S, Bobrowski P et al](#): The chondroprotective actions of a natural product are associated with the activation of IGF-1 production by human chondrocytes despite the presence of IL-1beta. *BMC Complement Altern Med*. 2006. 6:13.
9. [Noordam R, Gunn D, Tomlin C et al](#): Serum insulin-like growth factor 1 and facial ageing: high levels associate with reduced skin wrinkling in a cross-sectional study. *Br J Dermatol*. 2013. 168(3):533-8.
10. [O'Neill C, Kiely A, Coakley M et al](#): Insulin and IGF-1 signaling: longevity, protein homeostasis and Alzheimer's disease. *Biochem Soc Trans*. 2012. 40(4):721-7.

11. [Sandovala M, Okuhama N, Angeles F et al](#): Antioxidant activity of the cruciferous vegetable Maca (*Lepidium meyenii*). Food Chemistry, 2002, 79: 207-213. ([Download PDF #10](#))
12. [Sjögren K, Jansson J, Isaksson O et al](#): A model for tissue-specific inducible insulin-like growth factor-I (IGF-I) inactivation to determine the physiological role of liver-derived IGF-I. Endocrine. 2002. 19(3):249-56.
13. [Xu S, Gu X, Pan H et al](#): Reference ranges for serum IGF-1 and IGFBP-3 levels in Chinese children during childhood and adolescence. Endocr J. 2010. 57(3):221-8.

Ingredient: Vincaria® - Works Cited

1. [Bobrowski PJ](#): Methods and preparations of extracts of Uncaria species with reduced alkaloid content. USPTO 6,797,286: Sep 28, 2004.
2. [Carvalho M, Penido C, Siani A et al](#): Investigations on the anti-inflammatory and anti-allergic activities of the leaves of Uncaria guianensis (Aublet) J. F. Gmelin. Inflammopharmacology. 2006.14(1-2):48-56.
3. [Hunter P](#). The inflammation theory of disease: The growing realization that chronic inflammation is crucial in many diseases opens new avenues for treatment. EMBO Reports. 2012. 13(11):968-970.
4. [Hardin SR](#): Cat's claw: an Amazonian vine decreases inflammation in osteoarthritis. Complement Ther Clin Pract. 2007. 13(1):25-28.
5. [Mehta K, Gala J, Bhasale S et al](#): Comparison of glucosamine sulfate and a polyherbal supplement for the relief of osteoarthritis of the knee: a randomized controlled trial [ISRCTN25438351]. BMC Complement Altern Med. 2007. 7:34.
6. [Miller M, Ahmed S, Bobrowski P et al](#): Suppression of Human Cartilage Degradation and Chondrocyte Activation by a Unique Mineral Supplement (SierraSil™) and a Cat's Claw Extract, Vincaria®. JANA, 2004, 7(2): 32-39.
7. [Miller M, Angeles F, Reuter B et al](#): Dietary antioxidants protect gut epithelial cells from oxidant-induced apoptosis. BMC Complement Altern Med. 2001. 1:11.
8. [Miller M, Mehta K, Kunte S et al](#): Early relief of osteoarthritis symptoms with a natural mineral supplement and a herbomineral combination: a randomized controlled trial [ISRCTN38432711]. J Inflamm (Lond). 2005. 2:11.
9. [Miller M, Ahmed S, Bobrowski P et al](#): The chondroprotective actions of a natural product are associated with the activation of IGF-1 production by human

chondrocytes despite the presence of IL-1beta. BMC Complement Altern Med. 2006. 6:13.

10. [Monaco C, Andreakos E, Kiriakidis S et al](#): Canonical pathway of nuclear factor kappa B activation selectively regulates proinflammatory and prothrombotic responses in human atherosclerosis. Proc Natl Acad Sci U S A. 2004. 13;101(15):5634-9.
11. [Piscoya J, Rodriguez Z, Bustamante S et al](#): Efficacy and safety of freeze-dried cat's claw in osteoarthritis of the knee: mechanisms of action of the species *Uncaria guianensis*. Inflamm Res. 2001.50(9):442-8.
12. [Sandoval M, Okuhama NN, Zhang XJ et al](#): Anti-inflammatory and antioxidant activities of cat's claw (*Uncaria tomentosa* and *Uncaria guianensis*) are independent of their alkaloid content. Phytomedicine. 2002. 9(4):325-37.
13. [Urdanibia I, Michelangeli F, Ruiz MC et al](#): Anti-inflammatory and antitumoural effects of *Uncaria guianensis* bark. J Ethnopharmacol. 2013. 150(3):1154-62.

Ingredient: Zangrado® and Progrado® - Works Cited

1. [Bobrowski, PJ](#): Methods and preparations of the latex from the croton species. USPTO No. 7,208,183. 2007 April 24.
2. [Bobrowski PJ](#): Pharmaceutical preparations for the treatment of itch, nausea, hyperalgesia and the complications of opioid agonists. USPTO No. 7,632,524. 2009 Dec 15.
3. [Bobrowski PJ](#): Method of treating emesis and itch. USPTO No. 7,883,727. 2011 Feb 8, 2011.
4. [Miller M, Macnaughton W, Zhang X et al](#): Treatment of gastric ulcers and diarrhea with the Amazonian herbal medicine sangre de grado. Am J Physio Gastro Liver Physiology, 2000, 279: G192–G200.
5. [Miller M, Vergnolle N, McKnight W et al](#): Inhibition of neurogenic inflammation by the Amazonian herbal medicine sangre de grado. Journal of Investigative Dermatology, 2001, 117(3): 725-730.
6. [Miller M, Reuter B, Wallace J, Sharkey K, Bobrowski P](#): Mechanistic and Clinical Assessment of Zangrado, an Extract of the Amazonian Ethnomedicine Sangre de Grado, for the Treatment of Itch. In: Yosipovitch G, Greaves MW, Fleischer AB, McGlone F, eds. Itch: Basic Mechanisms and Therapy. (pp. 305-315). New York: M. Dekker, 2004.
7. [Miller M, Bobrowski P, Shukla M et al](#): Chondroprotective effects of a proanthocyanidin rich Amazonian genonutrient reflects direct inhibition of

matrix metalloproteinases and upregulation of IGF-1 production by human chondrocytes. *J Inflammation*, 2007, 4:16.

8. [Miller M, Reuter B, Wallace J et al](#): A unique therapeutic approach to emesis and itch with a proanthocyanidin-rich genonutrient. *J Translational Medicine*, 2008, 6: 3.
9. [Sandoval M, Okuhama N, Clark M et al](#): Sangre de grado Croton palanostigma induces apoptosis in human gastrointestinal cancer cells. *J Ethnopharm*, 2002. 80:121-129.

Ingredient: Lutein® - Works Cited

Meyers KJ, Mares JA, Igo RP Jr et al: Genetic evidence for role of carotenoids in age-related macular degeneration in the Carotenoids in Age-Related Eye Disease Study (CAREDS). *Invest Ophthalmol Vis Sci*. 2014 Jan 29; 55(1):587-99.

<http://www.ncbi.nlm.nih.gov/pubmed/24346170>

(2) Age-Related Eye Disease Study 2 (AREDS2) Research Group, Chew EY, Clemons TE, Sangiovanni JP et al: Secondary analyses of the effects of lutein/zeaxanthin on age-related macular degeneration progression: AREDS2 report No. 3. *JAMA Ophthalmol*. 2014 Feb; 132(2):142-9.<http://www.ncbi.nlm.nih.gov/pubmed/24310343>

(3) Wang JJ, Buitendijk GH, Rochtchina E et al: Genetic susceptibility, dietary antioxidants, and long-term incidence of age-related macular degeneration in two populations. *Ophthalmology*. 2014 Mar; 121(3):667-75.<http://www.ncbi.nlm.nih.gov/pubmed/24290803>

(4) Kesse-Guyot E, Andreeva VA, Ducros V et al: Carotenoid-rich dietary patterns during midlife and subsequent cognitive function. *Br J Nutr*. 2014 Mar 14; 111(5):915-23. <http://www.ncbi.nlm.nih.gov/pubmed/24073964>

(5) Zou ZY, Xu XR, Lin XM et al: Effects of lutein and lycopene on carotid intima-media thickness in Chinese subjects with subclinical atherosclerosis: a randomised, double-blind, placebo-controlled trial. *Br J Nutr*. 2014 Feb; 111(3):474-80. <http://www.ncbi.nlm.nih.gov/pubmed/24047757>

- (6) Slattery ML, Lundgreen A, Wolff RK: Dietary influence on MAPK-signaling pathways and risk of colon and rectal cancer. *Nutr Cancer*. 2013; 65(5):729-38.
<http://www.ncbi.nlm.nih.gov/pubmed/23859041>
- (7) Lorenzoni F, Giampietri M, Ferri G: Lutein administration to pregnant women with gestational diabetes mellitus is associated to a decrease of oxidative stress in newborns. *Gynecol Endocrinol*. 2013 Oct; 29(10):901-3.<http://www.ncbi.nlm.nih.gov/pubmed/23808391>
- (8) Wang MX, Jiao JH, Li ZY et al: Lutein supplementation reduces plasma lipid peroxidation and C-reactive protein in healthy nonsmokers. *Atherosclerosis*. 2013 Apr; 227(2):380-5.<http://www.ncbi.nlm.nih.gov/pubmed/23398944>
- (9) Murray IJ, Makridaki M, van der Veen RL et al: Lutein supplementation over a one-year period in early AMD might have a mild beneficial effect on visual acuity: the CLEAR study. *Invest Ophthalmol Vis Sci*. 2013 Mar 11; 54(3):1781-8.
<http://www.ncbi.nlm.nih.gov/pubmed/23385792>
- (10) Yao Y, Qiu QH, Wu XW et al: Lutein supplementation improves visual performance in Chinese drivers: 1-year randomized, double-blind, placebo-controlled study. *Nutrition*. 2013 Jul-Aug; 29(7-8):958-64.<http://www.ncbi.nlm.nih.gov/pubmed/23360692>
- (11) Huang YM, Yan SF, Ma L et al: Serum and macular responses to multiple xanthophyll supplements in patients with early age-related macular degeneration. *Nutrition*. 2013 Feb; 29(2):387-92.<http://www.ncbi.nlm.nih.gov/pubmed/23312760>
- (12) Meinke MC, Friedrich A, Tscherch K et al: Influence of dietary carotenoids on radical scavenging capacity of the skin and skin lipids. *Eur J Pharm Biopharm*. 2013 Jun; 84(2):365-73.<http://www.ncbi.nlm.nih.gov/pubmed/23246796>
- (13) Beatty S, Chakravarthy U, Nolan JM et al: Secondary outcomes in a clinical trial of carotenoids with coantioxidants versus placebo in early age-related macular degeneration. *Ophthalmology*. 2013 Mar; 120(3):600-6.
<http://www.ncbi.nlm.nih.gov/pubmed/23218821>
- (14) Xu XR, Zou ZY, Xiao X et al: Effects of lutein supplement on serum inflammatory cytokines, ApoE and lipid profiles in early atherosclerosis

population. *J Atheroscler Thromb.* 2013 Feb 22;
20(2):170-7. <http://www.ncbi.nlm.nih.gov/pubmed/23154578>

(15) Berrow EJ, Bartlett HE, Eperjesi F et al: The effects of a lutein-based supplement on objective and subjective measures of retinal and visual function in eyes with age-related maculopathy – a randomized controlled trial. *Br J Nutr.* 2013 Jun; 109(11):2008-14. <http://www.ncbi.nlm.nih.gov/pubmed/23084077>

(16) Ros MM, Bueno-de-Mesquita HB, Kampman E et al: Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. *Am J Clin Nutr.* 2012 Oct; 96(4):902-10. <http://www.ncbi.nlm.nih.gov/pubmed/22952186>

(17) Ma L, Yan SF, Huang YM et al: Effect of lutein and zeaxanthin on macular pigment and visual function in patients with early age-related macular degeneration. *Ophthalmology.* 2012 Nov; 119(11):2290-7. <http://www.ncbi.nlm.nih.gov/pubmed/22858124>

(18) Ma L, Dou HL, Huang YM et al: Improvement of retinal function in early age-related macular degeneration after lutein and zeaxanthin supplementation: a randomized, double-masked, placebo-controlled trial. *Am J Ophthalmol.* 2012 Oct; 154(4):625-634. <http://www.ncbi.nlm.nih.gov/pubmed/22835510>

(19) Giacconi JA, Yu F, Stone KL et al: The association of consumption of fruits/vegetables with decreased risk of glaucoma among older African-American women in the study of osteoporotic fractures. *Am J Ophthalmol.* 2012 Oct; 154(4):635-44. <http://www.ncbi.nlm.nih.gov/pubmed/22818906>

(20) Manzoni P, Guardione R, Bonetti P et al: Lutein and zeaxanthin supplementation in preterm very low-birthweight neonates in neonatal intensive care units: a multicenter randomized controlled trial. *Am J Perinatol.* 2013 Jan; 30(1):25-32. <http://www.ncbi.nlm.nih.gov/pubmed/22773282>

(21) Tanito M, Obana A, Gohto Y et al: Macular pigment density changes in Japanese individuals supplemented with lutein or zeaxanthin: quantification via resonance Raman spectrophotometry and autofluorescence imaging. *Jpn J Ophthalmol.* 2012 Sep; 56(5):488-96.
<http://www.ncbi.nlm.nih.gov/pubmed/22699751>

(22) Landrum J, Bone R, Mendez V et al: Comparison of dietary supplementation with lutein diacetate and lutein: a pilot study of the effects on serum and macular pigment. *Acta Biochim Pol.* 2012; 59(1):167-9.<http://www.ncbi.nlm.nih.gov/pubmed/22428144>

(23) Graydon R, Hogg RE, Chakravarthy U et al: The effect of lutein- and zeaxanthin-rich foods v. supplements on macular pigment level and serological markers of endothelial activation, inflammation and oxidation: pilot studies in healthy volunteers. *Br J Nutr.* 2012 Jul; 108(2):334-42.<http://www.ncbi.nlm.nih.gov/pubmed/22313522>

(24) Piermarocchi S, Saviano S, Parisi V et al: Carotenoids in Age-related Maculopathy Italian Study (CARMIS): two-year results of a randomized study. *Eur J Ophthalmol.* 2012 Mar-Apr; 22(2):216-25.<http://www.ncbi.nlm.nih.gov/pubmed/22009916>

(25) Thyagarajan B, A Meyer K, Smith LJ et al: Serum carotenoid concentrations predict lung function evolution in young adults: the Coronary Artery Risk Development in Young Adults (CARDIA) study. *Am J Clin Nutr.* 2011 Nov; 94(5):1211-8. <http://www.ncbi.nlm.nih.gov/pubmed/21918220>

(26) Shvetsov YB, Hernandez BY, Wilkens LR et al: Plasma micronutrients and the acquisition and clearance of anal human papillomavirus infection: the Hawaii HPV cohort study. *Cancer Res.* 2010 Dec 1; 70(23):9787-97.<http://www.ncbi.nlm.nih.gov/pubmed/20935226>

(27) Berson EL, Rosner B, Sandberg M et al: Clinical trial of lutein in patients with retinitis pigmentosa receiving vitamin A. *Arch Ophthalmol.* 2010 Apr; 128(4):403-11. <http://www.ncbi.nlm.nih.gov/pubmed/20385935>

(28) Perrone S, Longini M, Marzocchi B et al: Effects of lutein on oxidative stress in the term newborn: a pilot study. *Neonatology.* 2010; 97(1):36-40. <http://www.ncbi.nlm.nih.gov/pubmed/19590244>

(29) Cho H, Kim MK, Lee JK et al: Relationship of serum antioxidant micronutrients and sociodemographic factors to cervical neoplasia: a case-control study. *Clin Chem Lab Med.* 2009; 47(8):1005-12.<http://www.ncbi.nlm.nih.gov/pubmed/19589102>

- (30) Ma L, Lin XM, Zou ZY et al: A 12-week lutein supplementation improves visual function in Chinese people with long-term computer display light exposure. *Br J Nutr.* 2009 Jul; 102(2):186-90.<http://www.ncbi.nlm.nih.gov/pubmed/19586568>
- (31) McCall DO, McGartland CP, McKinley MC et al: Dietary intake of fruits and vegetables improves microvascular function in hypertensive subjects in a dose-dependent manner. *Circulation.* 2009 Apr 28; 119(16):2153-60.<http://www.ncbi.nlm.nih.gov/pubmed/19364976>
- (32) Mignone LI, Giovannucci E, Newcomb PA et al: Dietary carotenoids and the risk of invasive breast cancer. *Int J Cancer.* 2009 Jun 15; 124(12):2929-37.
<http://www.ncbi.nlm.nih.gov/pubmed/19330841>
- (33) Johnson EJ, McDonald K, Caldarella SM et al: Cognitive findings of an exploratory trial of docosahexaenoic acid and lutein supplementation in older women. *Nutr Neurosci.* 2008 Apr; 11(2):75-83.<http://www.ncbi.nlm.nih.gov/pubmed/18510807>
- (34) Johnson EJ, Chung HY, Caldarella SM et al: The influence of supplemental lutein and docosahexaenoic acid on serum, lipoproteins, and macular pigmentation. *Am J Clin Nutr.* 2008 May; 87(5):1521-9.<http://www.ncbi.nlm.nih.gov/pubmed/18469279>
- (35) Dherani M, Murthy GV, Gupta SK et al: Blood levels of vitamin C, carotenoids and retinol are inversely associated with cataract in a North Indian population. *Invest Ophthalmol Vis Sci.* 2008 Aug; 49(8):3328-35.<http://www.ncbi.nlm.nih.gov/pubmed/18421094>
- (36) Moeller SM, Voland R, Tinker L et al: Associations between age-related nuclear cataract and lutein and zeaxanthin in the diet and serum in the Carotenoids in the Age-Related Eye Disease Study, an Ancillary Study of the Women's Health Initiative. *Arch Ophthalmol.* 2008 Mar; 126(3):354-64.<http://www.ncbi.nlm.nih.gov/pubmed/18332316>
- (37) Palombo P, Fabrizi G, Ruocco V et al: Beneficial long-term effects of combined oral/topical antioxidant treatment with the carotenoids lutein and zeaxanthin on human skin: a double-blind, placebo-controlled study. *Skin Pharmacol Physiol.* 2007; 20(4):199-210.
<http://www.ncbi.nlm.nih.gov/pubmed/17446716>

(38) Hozawa A, Jacobs DR Jr, Steffes MW et al: Relationships of circulating carotenoid concentrations with several markers of inflammation, oxidative stress, and endothelial dysfunction: the Coronary Artery Risk Development in Young Adults (CARDIA)/Young Adult Longitudinal Trends in Antioxidants (YALTA) study. Clin Chem. 2007 Mar; 53(3):447-55.
<http://www.ncbi.nlm.nih.gov/pubmed/17234732>

(39) Zhao X, Aldini G, Johnson EJ et al: Modification of lymphocyte DNA damage by carotenoid supplementation in postmenopausal women. Am J Clin Nutr. 2006 Jan; 83(1):163-9.<http://www.ncbi.nlm.nih.gov/pubmed/16400064>

(40) Kato I, Ren J, Visscher DW et al: Nutritional predictors for cellular nipple aspirate fluid: Nutrition and Breast Health Study. Breast Cancer Res Treat. 2006 May; 97(1):33-9. <http://www.ncbi.nlm.nih.gov/pubmed/16317581>

(41) Coyne T, Ibiebele TI, Baade PD et al: Diabetes mellitus and serum carotenoids: findings of a population-based study in Queensland, Australia. Am J Clin Nutr. 2005 Sep; 82(3):685-93.<http://www.ncbi.nlm.nih.gov/pubmed/16155284>

(42) Morganti P, Fabrizi G, Bruno C: Protective effects of oral antioxidants on skin and eye function. Skinmed. 2004 Nov-Dec; 3(6):310-6.
<http://www.ncbi.nlm.nih.gov/pubmed/15538079>

(43) Richer S, Stiles W, Statkute L et al: Double-masked, placebo-controlled, randomized trial of lutein and antioxidant supplementation in the intervention of atrophic age-related macular degeneration: the Veterans LAST study (Lutein Antioxidant Supplementation Trial). Optometry. 2004 Apr; 75(4):216-30.<http://www.ncbi.nlm.nih.gov/pubmed/15117055>

Ingredient: Lycopene - Works Cited

1. [Agarwal S, Rao A](#): Tomato lycopene and low density lipoprotein oxidation: a human dietary intervention study. Lipids. 1998. 33(10):981-4.
2. [Burton-Freeman B, Talbot J, Park E et al](#): Protective activity of processed tomato products on postprandial oxidation and inflammation: a clinical trial in healthy weight men and women. Mol Nutr Food Res. 2012. 56(4):622-31.

3. [Chen J, Song Y, Zhang L](#): Lycopene/tomato consumption and the risk of prostate cancer: a systematic review and meta-analysis of prospective studies. *J Nutr Sci Vitaminol (Tokyo)*. 2013. 59(3):213-23.
4. [Devaraj S, Mathur S, Basu A et al](#): A dose-response study on the effects of purified lycopene supplementation on biomarkers of oxidative stress. *J Am Coll Nutr*. 2008. 27(2):267-73.
5. [Di Giacomo C, Acquaviva R, Sorrenti V et al](#): Oxidative and antioxidant status in plasma of runners: effect of oral supplementation with natural antioxidants. *J Med Food*. 2009. 12(1):145-50.
6. [Garrido M, González-Flores D, Marchena AM et al](#): A lycopene-enriched virgin olive oil enhances antioxidant status in humans. *J Sci Food Agric*. 2013. 93(8):1820-6.
7. [Hadley C, Clinton S, Schwartz S](#): The consumption of processed tomato products enhances plasma lycopene concentrations in association with a reduced lipoprotein sensitivity to oxidative damage. *J Nutr*. 2003. 133(3):727-32.
8. [Hozawa A, Jacobs D Jr, Steffes M et al](#): Relationships of circulating carotenoid concentrations with several markers of inflammation, oxidative stress, and endothelial dysfunction: the Coronary Artery Risk Development in Young Adults (CARDIA)/Young Adult Longitudinal Trends in Antioxidants (YALTA) study. *Clin Chem*. 2007. 53(3):447-55.
9. [Kim JY, Paik JK, Kim OY et al](#): Effects of lycopene supplementation on oxidative stress and markers of endothelial function in healthy men. *Atherosclerosis*. 2011. 215(1):189-95.
10. [Maruyama C, Imamura K, Oshima S et al](#): Effects of tomato juice consumption on plasma and lipoprotein carotenoid concentrations and the susceptibility of low density lipoprotein to oxidative modification. *J Nutr Sci Vitaminol (Tokyo)*. 2001. 47(3):213-21.
11. [Paran E, Novack V, Engelhard YN et al](#): The effects of natural antioxidants from tomato extract in treated but uncontrolled hypertensive patients. *Cardiovasc Drugs Ther*. 2009. 23(2):145-51.
12. [Riccioni G, Scotti L, Di Ilio E et al](#): Lycopene and preclinical carotid atherosclerosis. *J Biol Regul Homeost Agents*. 2011. 25(3):435-41
13. [Schwarz S, Obermüller-Jevic U, Hellmis E et al](#): Lycopene inhibits disease progression in patients with benign prostate hyperplasia. *J Nutr*. 2008. 138(1):49-53.
14. [Shen YC, Chen SL, Wang CK](#): Contribution of tomato phenolics to antioxidation and down-regulation of blood lipids. *J Agric Food Chem*. 2007. 8;55(16):6475-81.

15. [Silaste ML, Alfthan G, Aro A et al](#): Tomato juice decreases LDL cholesterol levels and increases LDL resistance to oxidation. *Br J Nutr.* 2007. 98(6):1251-8.
16. [Torbergesen A, Collins A](#): Recovery of human lymphocytes from oxidative DNA damage; the apparent enhancement of DNA repair by carotenoids is probably simply an antioxidant effect. *Eur J Nutr.* 2000. 39(2):80-5.
17. [Tyssandier V, Feillet-Coudray C, Caris-Veyrat C et al](#): Effect of tomato product consumption on the plasma status of antioxidant microconstituents and on the plasma total antioxidant capacity in healthy subjects. *J Am Coll Nutr.* 2004. 23(2):148-56.
18. [Visioli F, Riso P, Grande S et al](#): Protective activity of tomato products on in vivo markers of lipid oxidation. *Eur J Nutr.* 2003. 42(4):201-6.
19. [Xaplanteris P, Vlachopoulos C, Pietri P et al](#): Tomato paste supplementation improves endothelial dynamics and reduces plasma total oxidative status in healthy subjects. *Nutr Res.* 2012. 32(5):390-4.
20. [Zhang X, Wang Q, Neil B et al](#): Effect of lycopene on androgen receptor and prostate-specific antigen velocity. *Chin Med J (Engl).* 2010. 123(16):2231-6.

[Zou ZY, Xu XR, Lin XM et al](#): Effects of lutein and lycopene on carotid intima-media thickness in Chinese subjects with subclinical atherosclerosis: a randomised, double-blind, placebo-controlled trial. *Br J Nutr.* 2014. 111(3):474-80.

Ingredient: Astragalus - Works Cited

1. [Bao-Mei S, Xu W, Dai H et al](#): A study on the immune receptors for polysaccharides from the roots of *Astragalus membranaceus*, a Chinese medicinal herb. *Biochem Biophys Res Comm.* 2004. 1103–1111.
2. [Block K, Mead M](#): Immune System Effects of Echinacea, Ginseng, and Astragalus: A Review. *Int Cancer Ther.* 2003. 2(3):247-267.
3. [Boroujerdnia M, Azemi M, Hemmati A et al](#): Immunomodulatory Effects of *Astragalus gypsicolus* Hydroalcoholic Extract in Ovalbumin-Induced Allergic Mice Model. *Iran J Allergy Asthma Immunol.* 2011. 10(4):281-288.
4. [Brush J, Mendenhall E, Guggenheim A et al](#): The effect of Echinacea purpurea, *Astragalus membranaceus* and *Glycyrrhiza glabra* on CD69 expression and immune cell activation in humans. *Phytother Res.* 2006. 20(8):687-95.

5. [Jiang D, Wang X, Su Q et al](#): Milkvetch root improves immune function in patients with acute exacerbation of COPD. *Biomed Mater Eng*. 2015. S2113-21.
6. [Mao S, Cheng K, Zhou Y](#): [Modulatory effect of Astragalus membranaceus on Th1/Th2 cytokine in patients with herpes simplex keratitis]. [Article in Chinese] *Zhongguo Zhong Xi Yi Jie He Za Zhi*. 2004. 24(2):121-3.
7. [Matkovic Z, Zivkovic V, Korica M et al](#): Efficacy and safety of Astragalus membranaceus in the treatment of patients with seasonal allergic rhinitis. *Phytother Res*. 2010. 24(2):175-81.
8. [Shih-Ming C, Tsai y, Lee S et al](#): Astragalus membranaceus modulates Th1/2 immune balance and activates PPAR γ in a murine asthma model. *Biochemistry and Cell Biology*. 2014. 92(5):397-405.
9. [Su G, Chen X, Liu Z et al](#): Oral Astragalus (Huang qi) for preventing frequent episodes of acute respiratory tract infection in children. *Cochrane Database of Systematic Reviews*. 2015. 11:CD011958.
10. [Zwickey H, Brush J, Iacullo C et al](#): The effect of Echinacea purpurea, Astragalus membranaceus and Glycyrrhiza glabra on CD25 expression in humans: a pilot study. *Phytother Res*. 2007. 21(11):1109-12.

Ingredient: Vinpocetine - Works Cited

COMING SOON

Ingredient: Piperine - Works Cited

1. [Ahmad, N, Fazal H, Abbasi B et al](#): Khan, M.A. (2012) Biological Role of Piper nigrum L. (Black Pepper): A Review. *Asian Pac J Trop Biomed*, 2010, 5:1945-1953.
2. [Ajazuddin, Alexander A, Qureshi A et al](#): Role of herbal bioactives as a potential bioavailability enhancer for Active Pharmaceutical Ingredients. *Fitoterapia*. 2014 Sep;97C:1-14.
3. [Allameh A, Saxena M, Biswas G et al](#): Piperine, a plant alkaloid of the piper species, enhances the bioavailability of aflatoxin B1 in rat tissues. *Cancer Lett*. 1992 Jan 31;61(3):195-9.
4. [Alodeani E, Arshad M, Izhari M](#): Drug likeness and physicochemical properties evaluation of the alkaloids found in black pepper: piperine, piperidine, piperettine and piperanine. *Eur J Pharm Med Res*, 2015, 2(6), 296-301.

5. [Alvarez-Berdugo D, Jiménez M, Clavé P et al](#): Pharmacodynamics of TRPV1 Agonists in a Bioassay Using Human PC-3 Cells, *Sci World J*, 2014, ID 184526, 6 pages.
6. [Atal N, Bedi K](#): Bioenhancers: Revolutionary concept to market. *J Ayur Integ Med* 2010. 1:96–9.
7. [Atal C, Dubey R, Singh J](#): Biochemical basis of enhanced drug bioavailability by piperine: evidence that piperine is a potent inhibitor of drug metabolism. *J. Pharmacol. Exp. Ther.* 1985. 232(1):258–62.
8. [Atal K, Zutshi U, Rao P](#): Scientific evidence on the role of Ayurvedic herbals on bioavailability of drugs. *J Ethnopharm* 1981. 4(2): 229-32.
9. [Badmaev V, Majeed M, Norkus E](#): Piperine, an alkaloid derived from black pepper increases serum response of beta-carotene during 14-days of oral beta-carotene supplementation. *Nutri Res.* 1999, 19(3): 381–388.
10. [Badmaev V, Majeed M, Prakash L](#): Piperine derived from black pepper increases the plasma levels of coenzyme Q10 following oral supplementation. *J Nutri Biochem* 2000; 11(2):109–113.
11. 1. [Bajad S, Bedi K, Singla A et al](#): Piperine inhibits gastric emptying and gastrointestinal transit in rats and mice. *Planta Medica* 2001. 67: 176-179
12. 2. [Bano G, Amla V, Raina R et al](#): The effect of piperine on pharmacokinetics of phenytoin in healthy volunteers. *Planta Medica.* 1987, 53(6): 568–569.
13. 3. [Bano G, Raina R, Zutshi U et al](#): Effect of piperine on bioavailability and pharmacokinetics of propranolol and theophylline in healthy volunteers. *Eur J Clin Pharmacol.* 1991;41(6):615-7.
14. [Bedada S, Boga P, Kotakonda H](#): Study on influence of piperine treatment on the pharmacokinetics of diclofenac in healthy volunteers. *Xenobiotica.* 2017, 47(2):127-132.
15. [Bhardwaj K, Glaeser H, Becquemont L et al](#): Piperine, a major constituent of black pepper, inhibits human P-glycoprotein and CYP3A4. *J Pharm Exp Ther.* 2002, 302(2):645-650.
16. [Cai L, Liu J, Li L et al](#): [Effect of piperine on metabolism and distribution of nortriptyline in mice]. *J Cent South Univ (Med Sci)*, 2014, 39(4): 349-54.
17. [Chopra B, Dhingra A, Kapoor R et al](#): Piperine and Its Various Physicochemical and Biological Aspects: A Review. *Open Chem J*, 2016, 3, 75-96.
18. [Dama M, Varshneya C, Dardi M et al](#): Effect of trikatu pretreatment on the pharmacokinetics of pefloxacin administered orally in mountain Gaddi goats. *J Vet Sci.* 2008 Mar;9(1):25-9.

19. Desai S, Gawali V, Naik A et al: Potentiating effect of piperine on hepatoprotective activity of Boerhaaviadiffusa to combat oxidative stress. *Int J Pharmacogn*, 2008, 4:393-397.
20. Di X, Wang X, Di X et al: Effect of piperine on the bioavailability and pharmacokinetics of emodin in rats. *J Pharm Biomed Anal*. 2015 Nov, 115:144-9.
21. Dubey R, Leeners B, Imthurn B et al: Piperine Decreases Binding of Drugs to Human Plasma and Increases Uptake by Brain Microvascular Endothelial Cells. *Phytother Res*. 2017, 31(12):1868-1874.
22. Dudhatra G, Mody S, Awale M et al: A Comprehensive Review on Pharmacotherapeutics of Herbal Bioenhancers. *Sci World J*. 2012, Sept: 637953.
23. Feng X, Liu Y, Wang X et al: Effects of piperine on the intestinal permeability and pharmacokinetics of linarin in rats. *Molecules*. 2014 Apr 30;19(5):5624-33.
24. Gopal V, Prakash G, Velvizhi T: Bio-Enhancer: A Pharmacognostic Perspective. *Eur J Mol Biol Biochem*. 2016;3(1):33-38.
25. Gorgani, L, Mohammadi M, Najafpour G et al: d, M. (2017), Piperine—The Bioactive Compound of Black Pepper: From Isolation to Medicinal Formulations. *Comp Rev Food Sci Food Safe* 2017. 16:124–140.
26. Gupta P, Nagwansi D, Gupta S: Comparative standardization of a polyherbal ayurvedic formulation trikatu churna. *J Chem Pharm Res*, 2015. 7(12):191-196
27. Hiwale A, Dhuley J, Naik S: Effect of co-administration of piperine on pharmacokinetics of f3-lactam antibiotics in rats. *Ind J Exp Bio*. 2002, 40:277-281.
28. Janakiraman K, Manavalan R: Studies on Effect of Piperine on Oral Bioavailability of Ampicillin and Norfloxacin. *Afr J Trad Comp Alt Med*. 2008; 5(3): 257–262.
29. Jamwal D, Singh J: Effects of piperine on enzyme activities and bioenergetic functions in isolated rat liver mitochondria and hepatocytes. *J Biochem Toxicol*. 1993 Dec;8(4):167-74.
30. Jhanwar J, Gupta S: Biopotential using Herbs: Novel Technique for Poor Bioavailable Drugs. *Int J PharmT Res* 2014. 6(2): 443-454.
31. Jin, M, Han, H: Effect of Piperine, a Major Component of Black Pepper, on the Intestinal Absorption of Fexofenadine and Its Implication on Food–Drug Interaction. *J Food Sci.*, 2010. 75: H93–H96.

32. Johnson J, Nihal M, Siddiqui I et al: Enhancing the bioavailability of resveratrol by combining it with piperine. *Mol Nutri Food Res.* 2011, 55(8): 1169–1176.
33. Johri R, Thusu N, Khajuria A et al: Piperine mediated changes in the permeability of rat intestinal epithelial cells. The status of γ -glutamyl transpeptidase activity, uptake of amino acids and lipid peroxidation. *Biochem Pharm.* 1992, 43(7):1401-7.
34. Kang M, Cho J, Shim B et al: Bioavailability enhancing activities of natural compounds from medicinal plants. *J Med Plant Res.* 2009, 3(13): 1204–1211.
35. Kasibhatta R, Naidu M: Influence of piperine on the pharmacokinetics of nevirapine under fasting conditions: a randomised, crossover, placebo-controlled study. *Drugs R D.* 2007;8(6):383-91.
36. Karan R, Bhargava V, Garg S: Effect of trikatu, an ayurvedic prescription, on the Pharmacokinetic profile of carbamazepine in rabbits. *Indian J Physiol Pharmacol* 1999; 43 (1): 133-136
37. Kesarwani K, Gupta R, Mukerjee A: Bioavailability enhancers of herbal origin: an overview. *Asian Pac J Trop Biomed.* 2013 Apr; 3(4):253-66.
38. Khajuria A, Thusu N, Zutshi U: Piperine modulates permeability characteristics of intestine by inducing alterations in membrane dynamics: influence on brush border membrane fluidity, ultrastructure and enzyme kinetics. *Phytomedicine.* 2002 Apr;9(3):224-31.
39. Khajuria A, Zutshi U, Bedi K: Permeability characteristics of piperine on oral absorption—an active alkaloid from peppers and a bioavailability enhancer. *Indian J Exp Biol.* 1998 Jan;36(1):46-50.
40. Khan I, Mirza Z, Kumar A et al: Piperine, a phytochemical potentiator of ciprofloxacin against *Staphylococcus aureus*. *Antimicrob Agents Chemo.* 2006 Feb;50(2):810-2.
41. Khan Z, Moni F, Sharmin S et al: Isolation of Bulk Amount of Piperine as Active Pharmaceutical Ingredient (API) from Black Pepper and White Pepper (*Piper nigrum L.*). *Pharmacol Pharm,* 2017, 8, 253-262.
42. Kulkarni A, Dias R: Natural products as bioavailability enhancers. *Int J Inv Pharm Sci Res* 2017. 5(12):24-33.
43. Kumar S, Dobos G, Rampp T: The Significance of Ayurvedic Medicinal Plants. *J Evid Base Int Med,* 2017. (22)3:494-501
44. Lambert J, Hong J, Kim D et al: Piperine enhances the bioavailability of the tea polyphenol (-)-epigallocatechin-3-gallate in mice. *J Nutrition.* 2004. 134(8); 1948-52.

45. Lee S, Kim H, Back S et al: Piperine-mediated drug interactions and formulation strategy for piperine: recent advances and future perspectives. *Expert Opin Drug Metab Toxicol.* 2018 Jan;14(1):43-57.
46. Liang Y, Chen H, Su Z et al: White Pepper and Piperine Have Different Effects on Pharmacokinetics of Puerarin in Rats. *Evid Based Comp Alt Med* 2014.
47. Majeed M, Badmaev V, Rajendran R, Inventors; Sabinsa Corporation, assignee. Use of piperine to increase the bioavailability of nutritional compounds. US patent 5,536,506, Jul. 16, 1996.
48. Majeed M, Badmaev V, Rajendran R, Inventors; Sabinsa Corporation, assignee. Use of piperine as a bioavailability enhancer. US patent 5,744,161. April 28, 1998.
49. Majeed M, Badmaev V, Rajendran R, Inventors; Sabinsa Corporation, assignee. Use of piperine as a bioavailability enhancer. US patent 5,972,382. October 26, 1999.
50. Makhov P, Golovine K, Canter D et al: Co-administration of piperine and docetaxel results in improved anti-tumor efficacy via inhibition of CYP3A4 activity. *Prostate.* 2012 May 1;72(6):661-7.
51. Mann A: Biopotency role of culinary spices and herbs and their chemical constituents in health and commonly used spices in Nigerian dishes and snacks. *African J Food Sci,* 2011, 5: 111-124.
52. Meghwal M, Goswami T: Piper nigrum and Piperine: An Update. *Phyto Res* 2013. 27(8): 1121–1130.
53. Mujumdar A, Dhuley J, Deshmukh V et al: Effect of piperine on pentobarbitone induced hypnosis in rats. *Indian J Exp Biol,* 1990a, 28:486-487.
54. Muneer C, Pandey V: Effect of Piperine on Oral Bioavailability of Diltiazem HCl in Rabbits. *Int J Pharm App.* 2012, 3(4):406-413.
55. Panahi Y, Badeli R, Karami G et al: Investigation of the Efficacy of Adjunctive Therapy with Bioavailability-Boosted Curcuminoids in Major Depressive Disorder. *Phytother Res.* 2015, 29(1):17-21.
56. Panahi Y, Ghanei M, Hajhashemi A et al: Effects of Curcuminoids-Piperine Combination on Systemic Oxidative Stress, Clinical Symptoms and Quality of Life in Subjects with Chronic Pulmonary Complications Due to Sulfur Mustard: A Randomized Controlled Trial. *J Diet Suppl.* 2016;13(1):93-105.
57. Parmar V, Jain S, Bisht K et al: Phytochemistry of genus piper. *Phytochemistry* 1997. 46:597-673.

58. Park T, Jeong N, Inventors; Industry-Academic Cooperation Foundation, assignee. Piperine derivatives and uses thereof. US patent 9,321,751. April 26, 2016.
59. Patel R, Modi I, Inventors; Cadila Laboratories Limited, assignee. Compositions containing piperine. US patent 5,616,593. April 1, 1997.
60. Pattanaik S, Hota D, Prabhakar S et al: Pharmacokinetic interaction of single dose of piperine with steady-state carbamazepine in epilepsy patients. *Phytotherapy Res.* 2009, 23(9): 1281–1286.
61. Rahimnia A, Panahi Y, Alishiri G et al: Impact of Supplementation with Curcuminoids on Systemic Inflammation in Patients with Knee Osteoarthritis: Findings from a Randomized Double-Blind Placebo-Controlled Trial. *Drug Res (Stuttg).* 2014 Jul 22. [Epub ahead of print]
62. Randhawa G, Kullar J, Rajkumar: Bioenhancers from mother nature and their applicability in modern medicine. *Int J Appl Basic Med Res.* 2011 Jan;1(1):5-10.
63. Reanmongkol W, Janthasoot W, Wattanatorn W et al: Effects of piperine on bioenergetic functions of isolated rat liver mitochondria. *Biochem Pharmacol.* 1988 Feb 15;37(4):753-7.
64. Reen R, Jamwal S, Taneja S et al: Impairment of UDP-glucose dehydrogenase and glucuronidation activities in liver and small intestine of rat and guinea pig in vitro by piperine. *Biochem Pharm* 1993. 46(2), 229-238.
65. Reen R, Roesch S, Kiefer F et al: Piperine impairs cytochrome P4501A1 activity by direct interaction with the enzyme and not by down regulation of CYP1A1 gene expression in the rat hepatoma 5L cell line. *Biochem Biophys Res Commun* 1996. 218(2):562-9.
66. Samy R, Pushparaj P, Gopalakrishnakone P: A compilation of bioactive compounds from Ayurveda. *Bioinformation* 2008; 3:100-110.
67. Schatman M: *Medical Marijuana: The State of the Science.* 2015, Feb. Medscape.
68. Shanmugam S: Natural Bioenhancers: Current Outlook. *Clin Pharmacol Biopharm* 2015, 4:2
69. Shoba G, Joy D, Joseph T et al: Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers. *Planta Medica*, 1998. 64(4): 353–356.
70. Singh A, Duggal S: Piperine- Review of Advances in Pharmacology. *Int J Pharm Sci Nanotechnol.* 2009. 2:615–20.
71. Singh V, Maurya J, Mishra A et al: Review article: Fast Dissolving Tablet with Piperine. *Am. J. PharmTech Res.* 2013; 3(6):15-37.

72. Singh V, Maurya J, Mishra A et al: Formulation and Evaluation of Mouth Dissolving Tablet of Norfloxacin with Piperine and their Antibacterial Activity. *Am. J. PharmTech Res.* 2013; 3(5):453-63.
73. Singh A, Pawar V, Jakhmola V et al: In vivo assessment of enhanced bioavailability of metronidazole with piperine in rabbits. *Res J Pharm Bio Chem Sci.* 2010, 1(4):273–278.
74. Singh V, Singh P, Mishra A et al: Piperine: delightful surprise to the biological world, made by plant “pepper” and a great bioavailability enhancer for our drugs and supplements. *World J Pharm Res* 2014; 3(6): 2084-2098.
75. Singh S, Tripathi J, Rai N: An appraisal of the bioavailability enhancers in Ayurveda in the light of recent pharmacological advances. *Ayu* 2016. 37(1):3-10
76. Srinivasan K: Black pepper and its pungent principle-piperine: A review of diverse physiological effects. *Critical Reviews in Food Science and Nutrition.* 2007. 47(8):735–48.
77. Srinivasan K. (2013) Biological Activities of Pepper Alkaloids. In: Ramawat K., Mérillon JM. (eds) *Natural Products*. Springer, Berlin, Heidelberg.
78. Tatiraju D, Bagade V, Karambelkar P et al: Natural Bioenhancers: An overview. *J Pharm Phyto* 2013; 2 (3): 55-60.
79. Velpandian T, Jasuja R, Bhardwaj R: Piperine in food: Interference in the pharmacokinetics of phenytoin. *Eur J Drug Met Kin*, 2001, 26:241-247.
80. Venkatesh S, Durga K, Padmavathi Y et al: Influence of piperine on ibuprofen induced antinociception and its pharmacokinetics. *Drug Res*, 2011; 61:506–509.
81. Volak LP, Hanley MJ, Masse G et al: Effect of a herbal extract containing curcumin and Piperine on midazolam, flurbiprofen and paracetamol (acetaminophen) pharmacokinetics in healthy volunteers. *Br J Clin Pharmacol.* 2013 Feb;75(2):450-62.
82. Wadhwa S, Singhal S, Rawat S: Bioavailability Enhancement by Piperine: A Review. *Asian J Biomed Pharma Sci.* 2014, 04(36): 1-8.
83. Wightman E, Reay J, Haskell C et al: Effects of resveratrol alone or in combination with piperine on cerebral blood flow parameters and cognitive performance in human subjects: a randomised, double-blind, placebo-controlled, cross-over investigation. *Br J Nutr.* 2014 Jul;112(2):203-13.
84. Yang J, Mao K, Huang P et al: Effect of piperine on the bioavailability and pharmacokinetics of rosmarinic acid in rat plasma using UPLC-MS/MS. *Xenobiotica.* 2018 Feb; 48(2):178-185

- 85. Zaveri M, Patel A, Khandhar A et al: Chemistry and Pharmacology of Piper Longum L. Int J Pharm Sci Rev Res. 2010, Dec; 5(1):67-76.**
- 86. Zutshi U, Kaul J: The impact of Ayurvedic herbals on drug bioavailability. Indian Drugs, 1982, 19:476–479.**
- 87. Zutshi U: “A process for the preparation of pharmaceutical combination with enhanced activity for treatment of tuberculosis and leprosy,” Indian Patent No. 1232/DEL/89, 1989.**